

Hole ID	From	To	Core length	Li2O (%)	Ta2O5 (ppm)
MR-23-01	40	64.5	24.5	2.18	228.47
MR-23-01	42.5	52	9.5	3.06	201.93
MR-23-02	8.8	34.6	25.8	2.57	268.47
MR-23-02	8.8	23	14.2	3.08	267.84
MR-23-03	23.3	29.5	6.2	1.12	227.30
MR-23-04	27.8	30.3	2.5	0.52	141.43
MR-23-05	5.5	45.8	40.3	0.86	87.32
MR-23-05	5.5	15.5	10	1.48	99.37
MR-23-06	17.7	55.1	37.4	1.02	93.03
MR-23-06	42.6	48.1	5.5	2.23	135.44
MR-23-07	22	72.5	50.5	1.06	105.36
MR-23-07	30.7	43.2	12.5	1.76	191.59
MR-23-08	10.6	12.7	2.1	0.33	111.83
MR-23-09	66	77.3	11.3	0.89	69.09
MR-23-10	39.4	87.2	47.8	1.02	80.27
MR-23-10	79.4	87.2	7.8	1.55	73.09
MR-23-10	79.4	87.2	7.8	1.55	73.09
MR-23-10	79.4	87.2	7.8	1.55	73.09
MR-23-10	79.4	87.2	7.8	1.55	73.09
MR-23-11	83.8	118.6	34.8	1.01	117.50
MR-23-11	98.7	106	7.3	1.75	135.53
MR-23-12	92	133.1	41.1	1.04	93.91
MR-23-12	103	109	6	2.25	168.88
MR-23-13	25.3	35.7	10.4	1.45	170.96
MR-23-14	46.5	62.7	16.2	2.75	98.03
MR-23-14	52.5	62	9.5	3.30	113.02
MR-23-15	90.3	106	15.7	2.09	49.32
MR-23-16	95.9	109.3	13.4	2.88	86.18
MR-23-17	74.7	90.1	15.4	2.28	69.29
MR-23-18	87.8	100.05	12.25	2.07	117.10
MR-23-19	68.05	82.05	14	2.92	69.57
MR-23-20	76.9	84.4	7.5	1.56	96.72
MR-23-21	70.9	73	2.1	2.23	83.19
MR-23-25	44.65	53.6	8.95	2.57	77.41
MR-23-26	49.85	60.4	10.55	3.28	165.76
MR-23-27	107.7	113.6	5.9	0.14	168.72
MR-23-28	3.75	40.9	37.15	1.80	154.44
MR-23-29	2.6	34.75	32.15	1.55	168.14
MR-23-30	1.65	26.2	24.55	1.75	143.02
MR-23-31	15.1	16.4	1.3	0.78	298.14
MR-23-31	28.4	33.7	5.3	1.49	321.37
MR-23-31	42.4	46.6	4.2	1.13	198.04
MR-23-31	54.2	56.4	2.2	1.01	314.02

MR-23-32	27.2	35.5	8.3	0.71	172.69
MR-23-32	43.35	45.95	2.6	1.56	259.94
MR-23-32	52.9	55.9	3	0.30	232.82
MR-23-33	140.2	144.4	4.2	1.85	242.60
MR-23-33	159.1	162.2	3.1	0.78	205.80
MR-23-33	163.7	164.5	0.8	0.34	348.01
MR-23-33	170.2	171	0.8	0.95	847.44
MR-23-33	186.1	188.65	2.55	1.05	305.20
MR-23-33	191.4	192.3	0.9	0.63	351.68
MR-23-33	196.7	203.7	7	1.37	315.97
MR-23-33	218.2	220.15	1.95	1.77	235.36
MR-23-33	232.4	234.9	2.5	1.43	250.50
MR-23-34	76.65	79.3	2.65	2.39	245.00
MR-23-35	34.5	46	11.5	1.10	90.41
MR-23-36	38.5	42	3.5	1.30	271.69
MR-23-36	175.9	178.15	2.25	1.01	298.40
MR-23-36	225.95	234.55	8.6	0.60	148.68
MR-24-38	71.5	72.45	0.95	1.35	149.58
MR-24-39	18.75	22.6	3.85	0.51	183.94
MR-24-39	51.9	58.25	6.35	1.38	146.38
MR-24-39	128	131.3	3.3	1.33	232.18
MR-24-40	10.05	10.75	0.7	0.96	145.31
MR-24-40	78.1	83.85	5.75	0.63	207.35
MR-24-41	126.5	126.85	0.35	3.39	283.30
MR-24-43	9.85	28.45	18.6	1.27	81.26
MR-24-43	83.95	86.7	2.75	0.99	100.50
MR-24-44B	14.4	31	16.6	0.93	78.54
MR-24-45	119	133.4	14.4	1.07	95.92
MR-24-45	161	162.85	1.85	0.96	171.38
MR-24-46	35.4	52	16.6	0.87	96.63
MR-24-47	143.65	145	1.35	1.12	142.55
MR-24-47	200	209.1	9.1	1.11	146.44
MR-24-47	236.2	239.25	3.05	0.82	143.27
MR-24-47	274.5	278.1	3.6	0.85	105.48
MR-24-48	43	61.5	18.5	0.80	93.39
MR-24-49	6.6	64.65	58.05	1.59	142.00
MR-24-49	69.8	72	2.2	1.19	122.41
MR-24-50	7.75	36	28.25	1.17	148.00
MR-24-50	51	53.4	2.4	1.42	151.00
MR-24-51	109	113	4	2.00	174.45
MR-24-51	119.95	122.7	2.75	0.58	199.94
MR-24-51	144.95	149.45	4.5	0.84	121.85
MR-24-53	225	227.2	2.2	0.55	143.16
MR-24-53	251	274	23	0.33	95.20

MR-24-54	66.55	71.35	4.8	1.03	197.95
MR-24-55	67.6	79.1	11.5	1.42	166.15
MR-24-56	49.05	59	9.95	0.32	43.73
MR-24-57	54	60.5	6.5	0.84	88.02
MR-24-58	90	91	1	1.25	109.04
MR-24-58	261.05	262	0.95	0.80	268.64
MR-24-59	152.6	155	2.4	2.27	273.12
MR-24-59	172	177	5	1.43	213.08
MR-24-59	246.1	250.85	4.75	1.77	194.91
MR-24-59	256.45	259.35	2.9	0.70	131.65
MR-24-59	298.7	300.45	1.75	1.27	176.54
MR-24-59	308.2	311.3	3.1	1.47	165.93
MR-24-59	314.15	340.85	26.7	0.75	93.41
MR-24-60	17.6	36	18.4	1.03	189.08
MR-24-60	39.25	50.8	11.55	0.66	154.05
MR-24-60	66.55	67.3	0.75	0.87	271.08
MR-24-60	76	88	12	0.93	153.62
MR-24-60	93.4	125	31.6	1.71	240.35
MR-24-60	145.05	147	1.95	0.44	218.69
MR-24-60	183	184.4	1.4	0.71	209.33
MR-24-60	325.75	326.75	1	0.82	273.53
MR-24-60	342.2	343.95	1.75	1.13	139.35
MR-24-61	7	76.3	69.3	1.64	146.75
MR-24-62	6.35	99.8	93.45	1.55	160.13
MR-24-64	55.45	78.3	22.85	0.02	222.52
MR-24-65	44.4	78.45	34.05	1.05	125.06
MR-24-66	146	165	19	0.62	126.83
MR-24-66	190.55	191	0.45	1.68	233.84
MR-24-66	235	236	1	1.18	274.75
MR-24-66	253.15	259.7	6.55	1.02	172.73
MR-24-66	281.55	282.7	1.15	1.09	317.49
MR-24-67	32	35	3	0.39	307.92
MR-24-69	57.9	70.35	12.45	0.02	184.35
MR-24-72	3.4	5.2	1.8	1.05	223.00
MR-24-72	21.52	37.45	15.93	1.25	254.64
MR-24-72	43.7	49	5.3	1.75	196.70
MR-24-72	55.85	57.65	1.8	2.15	280.65
MR-24-72	60.75	61.25	0.5	2.09	272.31
MR-24-72	62.45	65.85	3.4	1.71	211.17
MR-24-72	70.2	82	11.8	1.94	166.67
MR-24-72	114.2	131.95	17.75	1.42	110.07
MR-24-72	154.05	158.15	4.1	1.20	131.10
MR-24-73	88.2	128.6	40.4	1.75	153.63
MR-24-73	165	172	7	1.40	154.12

MR-24-74	111.45	135.45	24	1.07	125.14
MR-24-75	21.55	23.75	2.2	0.59	190.44
MR-24-76	57	58.7	1.7	1.66	233.23
MR-24-76	83.7	85.65	1.95	1.94	439.16
MR-24-76	88.2	91.9	3.7	1.89	397.68
MR-24-76	125	151	26	1.25	328.13
MR-24-76	162.65	164.25	1.6	1.53	262.54
MR-24-76	179.1	205.3	26.2	1.49	248.29
MR-24-76	215.6	220.65	5.05	1.12	231.63
MR-24-76	258	260.9	2.9	0.64	239.86
MR-24-76	294.65	317	22.35	1.93	492.01
MR-24-77	60.45	62.45	2	0.01	669.25